

MEASLES – THE AMERICAS 2025

MORBIDITY AND MORTALITY

COUNTRY	CONFIRMED CASES	DEATHS
NORTH AMERICA -3 ACTIVE OUTBREAKS		
<u>US</u>	1,575 (+21)	3
<u>CANADA</u>	5,113*+ (+83)	2
* Includes the probable cases reported by Canada under the clinically confirmed column, due to alignment with PAHO's case definition and 43 Non-outbreak cases were added this week.		
+The Ontario Outbreak has officially been declared over as of 6 October 2025.		
<u>MEXICO</u>	4,879 (+104)	22
CENTRAL AMERICA - NO ACTIVE OUTBREAKS		
<u>BELIZE (JULY 2025- OUTBREAK OVER)</u>	34	0
COSTA RICA (NO NEW CASES)	1	0
SOUTH AMERICA – 2 ACTIVE OUTBREAKS		
<u>BOLIVIA</u>	385 (+31)	0
ARGENTINA (NO NEW CASES)	35	0
<u>BRAZIL</u>	29	0
<u>PARAGUAY</u>	47 (+2)	0
<u>PERU</u> (NO NEW CASES)	4	0
THE CARRIBEAN	41	0
TOTAL	12,143	27

BACKGROUND

UNITED STATES

ARIZONA AND UTAH

CANADA

ONTARIO

ALBERTA

MEXICO

MEXICO - DEATHS

CHIHUAHUA

Yale
SCHOOL
OF PUBLIC
HEALTH

10/12/2025
2330 HRS EDT

RISK ASSESSMENT IN OUTBREAK AREAS

Risk for Localized Spread	Risk to unvaccinated populations in and around the outbreak areas	Risk to Children	Potential for sustained transmission
HIGH	HIGH	HIGH	MODERATE

LINKS

UNITED STATES

[CDC](#)

TEXAS LINKS

- [TEXAS DEPARTMENT OF STATE HEALTH SERVICES](#)

NEW MEXICO LINKS

- [NEW MEXICO DEPARTMENT OF HEALTH](#)

OKLAHOMA LINKS

- [OKLAHOMA STATE DEPARTMENT OF HEALTH](#)

KANSAS

- [KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT](#)

ARIZONA

[ARIZONA DEPARTMENT OF HEALTH SERVICES](#)

UTAH

[UTAH DEPARTMENT OF HEALTH AND HUMAN SERVICES](#)

WHO

[IMMUNIZATION DATA](#)

PAHO

[PAHO MEASLES](#)

CANADA

- [MEASLES AND RUBELLA WEEKLY MONITORING REPORT](#)

- [ALBERTA DASHBOARD](#)

- [BRITISH COLOMBIA](#)

- [MANITOBA HEALTH](#)

- [NEW BRUNSWICK](#)

- [NOVA SCOTIA](#)

- [PUBLIC HEALTH ONTARIO](#)

- [PRINCE EDWARDS ISLAND](#)

- [QUEBEC](#)

- [SASKATCHEWAN](#)

MEXICO

[INFORME DIARIO DEL BROTE DE SARAMPIÓN EN MÉXICO, 2025](#)

[MEDICHIUAHUA](#)

BOLIVIA

[ESTAMOS SALUD](#)

PARAGUAY

[SALUS PUBLICA](#)

MEASLES TESTING LABORATORIES

- [CDC MEASLES VIRUS LABORATORY](#)

RESOURCES FOR THE PUBLIC

- [CDC – MEASLES](#)
- [MEASLES CASES AND OUTBREAKS](#)
- [NYSDOH: YOU CAN PREVENT MEASLES](#)
- [CDC VIDEO: GET VACCINATED AND PREVENT MEASLES](#)
- [CDC VACCINE SHOT FOR MEASLES](#)
- [DIRECTORY FOR LOCAL HEALTH DEPARTMENTS](#)

RESOURCES FOR EMS PROVIDERS

- [GUIDANCE FOR SUSPECTED MEASLES PATIENT](#)
- [NYSDOH POLICY STATEMENT](#)

PORTALS, BLOGS, AND RESOURCES

- [CIDRAP](#)
- [CORI](#)
- [FORCE OF INFECTION](#)
- [IVAC](#)
- [KAISER HEALTH NEWS](#)
- [MEDPAGE TODAY](#)
- [NY STATE GLOBAL HEALTH UPDATE](#)
- [THE PANDEMIC CENTER TRACKING REPORT](#)
- [YOUR LOCAL EPIDEMIOLOGIST](#)

BACKGROUND

TYPE OF PUBLIC HEALTH EMERGENCY: **LARGE MULTINATIONAL MEASLES OUTBREAK**

SITUATION: In 2025, between epidemiological week (EW) 1 and EW 40, **12,143** measles cases were confirmed in the Americas Region, including **26 deaths**, in **Argentina** (n= **35** cases), **Belize** (n= **34** cases), the Plurinational State of **Bolivia** (n= **385** cases), **Brazil** (n= **29** cases), **Canada** (n= **5,113**, including **2 deaths**), **Costa Rica** (n= **1** case), **Mexico** (n= **4,879** cases, including **22 deaths**), **Paraguay** (n= **47** cases), Peru (n= **4** cases), and the **United States of America** (n= **1,575**, including **3 deaths**).

One of the largest outbreaks—**Ontario, Canada**—was declared **over on 6 October 2025**, though **transmission continues in other parts of the country**. In **Mexico**, the outbreak in **Chihuahua** has reached **4,370 cases** and continues to expand. It remains **the largest active outbreak in the Americas**.

EPIDEMIOLOGICAL CONTEXT

The **distribution of confirmed measles cases by epidemiological week** indicates a **gradual increase beginning in EW 3 of 2025**, with a **peak in EW 18** primarily associated with outbreaks in **vaccine-resistant and under-immunized communities** across multiple countries. Over the past four epidemiological weeks, a **slow but steady decline** in reported cases has been observed, though transmission remains ongoing in several areas.


REGIONAL ELIMINATION STATUS

The **Region of the Americas** remains **at risk of losing its measles-free status** as endemic transmission continues in several countries. To maintain elimination certification, each affected country must **interrupt transmission and report zero cases within 12 months of outbreak onset**.

Deadlines for maintaining elimination status:

- **Canada:** October 2025
- **United States of America:** January 2026
- **Mexico:** February 2026


Failure to meet these timelines could result in the **revocation of measles elimination status** for the respective countries.



MEASLES CASES - AS OF 12 OCTOBER 2025

** NOTE: The information on this page has been gathered by reviewing data from state and local health departments, news media sources, and the [Center for Outbreak Response Innovation \(CORI\)](#)*

1,575*



The increase in measles cases can be attributed to falling vaccination rates and increased importation of travel-related cases, which occur when unvaccinated people acquire measles abroad and bring it back to the U.S.

STATE	CASES
TEXAS **	803
NEW MEXICO	100
KANSAS	90
ARIZONA+	63
UTAH+	55
OHIO	42
NORTH DAKOTA	36
WISCONSIN	36
MONTANA	32
MICHIGAN	28
COLORADO	27
NEW YORK	24
CALIFORNIA	21
OKLAHOMA	20
MINNESOTA+	20
PENNSYLVANIA	16
KENTUCKY	14
ILLINOIS	12
SOUTH DAKOTA	12
SOUTH CAROLINA+	11
WASHINGTON	11
GEORGIA+	10
NEW JERSEY	10
IDAHO	9
INDIANA	9
WYOMING	9
ARKANSAS	8
IOWA	8
MISSOURI	7
TENNESSEE	7
FLORIDA	6
VIRGINIA	4
MARYLAND	3
ALASKA	2
HAWAII	2
LOUISIANA	2
ALABAMA	1
NEBRASKA	1
NORTH CAROLINA	1
OREGON	1
RHODE ISLAND	1
VERMONT	1
TOTAL	1,575

- OUTBREAKS
- SMALL OUTBREAK (3-9)
 - MEDIUM OUTBREAK (10 - 49)
 - LARGE OUTBREAK (50 OR MORE)

An outbreak of measles is defined as three or more laboratory-confirmed cases that are temporally related and epidemiologically or virologically linked.

As of 1800 hours on 12 October 2025, EDT, there are approximately 1,575 measles cases (including confirmed and suspected cases) across 42 states. There have been 40 Outbreaks in the US this year, including the following:

- Arizona - Navajo County, Mohave County
- Arkansas - Faulkner County
- Colorado – 10 cases linked to an infectious traveler
- Georgia - Metro Atlanta
- Illinois - Southern Illinois (Franklin–Williamson region)
- Indiana - Allen County
- Iowa - Johnson County
- Kansas 9 counties
- Kentucky - Woodford, Fayette, and Jefferson Counties
- Montana, Gallatin, Hill, and Yellowstone Counties.
- Michigan - Montcalm County (linked to Ontario Outbreak) and a 2nd outbreak in Grand Traverse County
- Missouri - Cedar County
- Oklahoma and the Cherokee Nation
- Ohio - Ashtabula and Knox Counties
- Pennsylvania - Erie County
- New Jersey - Bergen County
- New Mexico - 6 counties
- North Dakota - Williams County, Grand Rapids
- South Carolina - Spartanburg and Greenville Counties.
- Texas - 37 counties
- Tennessee - Upper Cumberland Region
- Utah - Utah County, Beaver, Garfield, Iron, Kane, and Washington Counties
- Wisconsin - Oconto County, Kewaunee, Carbon Counties.

In 2025, 86% of all confirmed cases in the US are linked to measles outbreaks. CDC reports the cumulative number of measles outbreaks (defined as 3 or more related cases)

92% of all cases are found in individuals who have not been vaccinated. 4% have had one MMR dose, and 4% have had two doses.

12% have required hospitalization.

UNITED STATES – UPDATES

CURRENTLY, THERE ARE ACTIVE OUTBREAKS IN MINNESOTA, SOUTH CAROLINA, UTAH, AND ARIZONA.

MINNESOTA Health officials in Minnesota have reported two new measles cases, bringing the state's total for 2025 to 20 confirmed cases, including 18 children. The latest cases were identified in Hennepin County and Ramsey County. According to the Minnesota Department of Health, both new cases involve unvaccinated children who are believed to have contracted the virus from an unvaccinated adult family member.

SOUTH CAROLINA: The measles outbreak continues to grow in the Upstate region of South Carolina. The state Department of Public Health this past week reported **an eighth confirmed measles case since September 25**. Public health officials say it is not yet clear whether this new case, identified in Greenville County, is linked to the seven confirmed cases associated with an ongoing outbreak in neighboring Spartanburg County. **As a precaution, approximately 150 unvaccinated schoolchildren at two schools in Spartanburg County—one public elementary school and one public charter school—are now under a 21-day quarantine** following confirmed exposure to measles "What this new case tells us is that there is active, unrecognized community transmission of measles occurring," [Dr. Linda Bell](#), South Carolina's state epidemiologist, told reporters during a [briefing](#) Thursday. She said that makes it vital that the public receive the recommended measles vaccination.

Before this year, the US had recorded only 10 [large measles outbreaks](#) – defined by the CDC as more than 50 related cases – since reaching elimination status in 2000.

But an ongoing outbreak along the Arizona–Utah border has already become the **third large outbreak of 2025**.

There have been **more than 100 confirmed cases** linked to this outbreak — at least **59 in Arizona** and **44 in Utah**, according to state health departments — and case counts continue to rise.

Experts emphasize that any measles transmission is cause for concern, and large outbreaks underscore the dangers of declining vaccination rates. A record share of U.S. kindergartners had an exemption for required vaccinations last school year, and coverage for all major vaccines — including the measles vaccine — continues to trend downward, according to the CDC.

Coverage with the measles-mumps-rubella (MMR) vaccine dropped to **92.5%**, well below the **95% threshold** needed to prevent community spread. This marks the **fifth consecutive year** that national MMR coverage has fallen short of the level required for herd immunity.

UNITED STATES – ARIZONA AND UTAH OUTBREAK

- A measles outbreak in northern Arizona was connected to cases across the state line in Utah, health officials said.
- The outbreak is centered in communities with low vaccination rates, with most cases occurring in unvaccinated people.
- Health officials from both states are working together to contain the outbreak.
- This outbreak is currently the most significant active outbreak in the US and is growing exponentially.

The outbreak is concentrated in communities with low vaccination rates, and most cases have occurred in unvaccinated individuals. One of the largest measles outbreaks in the United States is now centered along the Arizona–Utah border. As of 10/12/2025, Mohave County, Arizona, and Washington County, Utah, had reported a combined total of 100 cases.


In Mohave County, Arizona, officials have reported [59 confirmed measles cases](#), including one child who required hospitalization. In the last six weeks, the number of cases has increased six-fold, from 9 to 59.

In southwestern Utah, the Southwest Utah Public Health Department has reported [41 confirmed cases](#), most occurring among unvaccinated, school-age children. Many of the Utah cases have been traced to exposures at a local high school, a festival, and a Chick-fil-A restaurant.

SOURCE: [Utah Department of Health and Human Services](#), [Arizona Department of Health Services](#)

Wastewater dashboard - Utah

The Utah Department of Health and Human Services is now testing wastewater for measles. Recent tests show the virus is present in wastewater in several health districts, which means it's more widespread in the state than previously known.



UNITED STATES – ARIZONA AND UTAH OUTBREAK

UTAH

CASES: 55 (+8)

HOSPITALIZATIONS: 6 (11%)

DEATHS: 0

AGES:

- <18: 33 (60%)
- 18+: 22 (40%)

VACCINATION STATUS:

- Unvaccinated: 53 (96%)
- Vaccinated: 1 (2%)
- Unknown: 1 (2%)

OUTBREAK OVERVIEW: In late May, a few sporadic cases were identified in infectious travelers visiting Utah. In late June, the first cases were reported in Utah County and southwestern Utah, near the Arizona border. Health officials say they began seeing sustained community spread about a month ago. The southwestern outbreak has grown to 45 cases in Utah alone. The spokesperson for the Southwestern Utah Public Health District has confirmed this outbreak is linked to the one across the border in Arizona, as travel is common between the neighboring “twin cities” of Colorado City, AZ, and Hildale, UT, both of which are home to many members of a close-knit Mormon sect. Common exposure sites include schools and school-related events. Viral samples collected on June 1 and July 1 were all the D8 genotype.

RESPONSE: After finding wastewater samples that were positive for measles in July in Provo (where Brigham Young University is located), the Utah Department of Health and Human Services is expanding from 2 sites to 35 sites across the state.

ARIZONA

CASES: 63 (+4)

HOSPITALIZATIONS: 3 (5%)

DEATHS: 0

AGES: Arizona has not reported the age breakdown of cases. Most cases are in school-aged children.


VACCINATION STATUS: Arizona has not reported the vaccination status of cases.

OUTBREAK TIMELINE: Arizona’s first cases occurred in a cluster of four unvaccinated individuals in Navajo County, linked to international travel. There is no indication these cases are related to the subsequent outbreak of 55 cases in Mohave County, which began in early August. Community transmission is occurring.

RESPONSE: Local and state departments of health are working to conduct contact tracing, isolate cases, set up vaccination clinics, and raise awareness at local schools and businesses.


FACTORS DRIVING THE OUTBREAK:

- **Low vaccination rates:** Kindergarten vaccination rates are low in the affected areas. For example, MMR vaccination rates for the two elementary schools in Colorado City were 7% and 40%.
- **Anti-vaccination sentiment:** Rates of vaccine exemptions for schoolchildren have risen in recent years, with the majority of exemptions in Arizona being personal (85%) and religious (12.5%).
- **Close-knit religious communities:** Colorado City, AZ, and Hildale, UT, are home to a religious sect with historically low vaccination rates.
- **Large gatherings:** The outbreak in Utah was fueled by a large high school cycling event.
- **Travel:** Smaller outbreaks began after exposure during international travel.



UNITED STATES – UTAH & ARIZONA OUTBREAK TIMELINE

EPI CURVE FOR MEASLES CASES IN ARIZONA AND UTAH, 2025



late May	Southwestern Utah: 2 infectious travelers visit in late May; no subsequent cases recorded
June 9	Navajo County, AZ: Cluster of 4 cases linked to recent international travel
26	Southwest Utah Public Health District: First 2 cases are reported in the district Utah County, UT: First 5 cases are reported in the county
July	UT: 4 additional cases reported in Southwest Utah Public Health District (2) and Utah County (2)
August 2-7	Mohave County, AZ: First exposures around Colorado City, AZ, a border city next to Hildale, Utah
16	Wasatch County, UT: Large exposure incident at high school cycling event (~2,000 people); several infections linked to the event
21	Mohave County, AZ: 9 cases in Colorado City outbreak
September 12	Mohave County, AZ: 30 total cases in Colorado City outbreak UT: 30 total cases in Utah County (7), Southwest Utah (20), and Southeast Utah (3)
20	Bear River Public Health District, UT: first case reported in Cache County
October 12	AZ/ UT: 100 combined cases in Utah and Arizona

CANADA

BACKGROUND: The 2025 measles outbreak in Canada is the product of a perfect storm: a sparking importation event, weakening population immunity, rising vaccine hesitancy and misinformation, structural vulnerabilities in public health and healthcare access, and social dynamics that enabled the virus to move through susceptible networks.

IMPORTATION AND INITIAL SPARK: The outbreak began in October 2024, when an imported case attending a large gathering in New Brunswick seeded the virus into Canada. The event, which brought together attendees from multiple provinces, provided the ideal conditions for rapid transmission and the initial dispersal of measles across provincial boundaries.

MULTI-JURISDICTIONAL SPREAD: From late 2024 into 2025, the outbreak expanded beyond its original epicenter. Cases spread through **Ontario, Alberta, Manitoba, British Columbia, Saskatchewan, Nova Scotia, New Brunswick, Prince Edward Island, the Northwest Territories, and Quebec**. The multi-jurisdictional spread reflects both the contagious nature of measles and the cracks in Canada's protective vaccination shield.


CONTRIBUTING FACTORS

- **Low Vaccination Coverage**
 - **Erosion of herd immunity:** National first-dose measles vaccination coverage fell from 90% in 2019 to around 83% by 2023— well below the 95% threshold required to prevent sustained transmission.
 - **Clusters of under-vaccination:** Many cases have arisen in under-immunized communities, particularly among close-knit groups with limited engagement with public health authorities.
- **Vaccine Hesitancy & Misinformation**
 - **Lingering distrust:** Public confidence in vaccination weakened during the COVID-19 pandemic, leaving space for anti-vaccine movements to grow louder and more influential.
 - **Changing perceptions:** With declining familiarity of measles as a public health threat, many individuals perceive the disease as distant or low-risk, fueling complacency and skepticism toward the vaccine.

STRUCTURAL VULNERABILITIES & SOCIAL DYNAMICS

- **Healthcare access gaps:** Remote, rural, and Indigenous communities often face barriers to timely vaccination services, including limited clinic hours, shortages of healthcare staff, and logistical hurdles in vaccine delivery.
- **Cross-provincial mobility:** Travel between provinces and territories, combined with participation in large gatherings and events, accelerated the geographic spread of the virus.
- **Social clustering:** Measles transmission has been amplified within close-knit cultural, religious, or ideological groups where vaccine refusal or delay is more common, creating concentrated pools of susceptibility.
- **Strains on public health infrastructure:** Years of budgetary constraints and competing priorities have left some local public health units less prepared for large-scale outbreak response, slowing containment efforts.

EPIDEMIOLOGICAL CURVE FOR MEASLES CASES, BY EPIDEMIOLOGICAL WEEK - 39




SOURCES:


[Measles and rubella weekly monitoring report – Week 39](#)
[PAHO - Measles cases rise in the Americas in 2025](#)

CANADA – CURRENT SITUATION

Brief Timeline of Outbreak



MEASLES 2025			
PROVINCE	CONFIRMED CASES	PROBABLE CASES	TOTALS
ONTARIO	2,103*	315	2,418
ALBERTA	1,927	0	1927
MANITOBA	225	18	243
BRITISH COLUMBIA	292	20	312
SASKATCHEWAN	95	0	95
QUEBEC	36	0	36
PRINCE EDWARD ISLAND	3	0	3
NOVA SCOTIA	62	0	62
NORTHWEST TERRITORIES	1	0	1
NEW BRUNSWICK	16	0	16
TOTAL	4760	353	5,113



5,113 Cases (4,760 Confirmed and 353 Probable) 2 Deaths

There is a multijurisdictional measles outbreak ongoing in Canada. Of the 5,113 measles cases reported in 2025 (4,760 confirmed, 354 probable), most (4,696 confirmed, 354 probable) are linked to this outbreak. The outbreak began in New Brunswick in October 2024 and has continued to spread in several jurisdictions. The measles strain circulating in this outbreak is wild-type (genotype D8).

* Count includes 43 cases **not associated** with the outbreak and the outbreak numbers that began on 21 October 2024


OUTBREAK – ONTARIO

(OCTOBER 18, 2024, TO 6 OCTOBER 2025 – OUTBREAK DECLARED OVER)

MORBIDITY AND MORTALITY

PROVINCE	CASES 	HOSPITALIZATIONS 	DEATHS 
ONTARIO*	2,375 (2,060 confirmed, 315 probable)	165 (12 ICU)	1


IMMUNIZATION STATUS OF MEASLES OUTBREAK CASES BY AGE GROUP: OCTOBER 28, 2024 – October7, 2025



EFFECTIVE OCTOBER 6, 2025 - ONTARIO'S MEASLES OUTBREAK HAS BEEN DECLARED OVER - Using national guidance to define the conclusion of the outbreak (i.e., 46 days since the rash onset date of the last outbreak case). Although the outbreak is declared over, measles continues to circulate in Canada and globally, so ongoing vigilance for measles case finding and public health follow-up will continue to occur.

- As of 6 October, Ontario has reported a total of 2,375 measles cases (2,060 confirmed, 315 probable) associated with the multi-jurisdictional outbreak occurring in 26 public health units.
- Among all outbreak cases, the majority (73.0%, n=1,734) were infants, children, and adolescents (19 years old or younger), while 26.4% (n=628) were adults, and 0.5% (n=13) had unknown age.
- Almost all infant, child, and adolescent outbreak cases (96.4%, n=1,671) were unimmunized, while 69.7% (n=438) of adults were unimmunized.
- A total of 2.1% (n=51) of outbreak cases were pregnant at the time of their measles infection.
 - Of these, 84.3% (n=43) were unimmunized, 2.0% (n=1) received one dose of measles-containing vaccine, 9.8% (n=5) received two or more doses, and 3.9% (n=2) had unknown immunization status.
 - There have been nine cases of congenital measles (i.e., measles diagnosed in the first 10 days of life).
- Overall, 6.9% (n=165) of outbreak cases were hospitalized, and 0.5% (n=12) were admitted to the intensive care unit (ICU).
 - 95.2% (n=157) of hospitalized cases were unimmunized, of whom 122 were infants, children and adolescents.
- One death occurred in a congenital case of measles, who was born pre-term and had other underlying medical conditions.

NUMBER OF MEASLES CASES BY WEEK OF RASH ONSET, 10/28/2024 – 10/7//2025



OUTBREAK – ALBERTA


MORBIDITY AND MORTALITY			
PROVINCE	CASES 	HOSPITALIZATIONS 	DEATHS 
ALBERTA	1,927	154 (15 ICU) (2 Currently Hospitalized)	1

IMMUNIZATION STATUS	COUNT
Unimmunized	1.698
1 dose	55
2 or more doses	79
Unknown	75

AGE RANGE	NUMBERS
<5 years	553 (+6)
5 to 17 years	849 (+21)
18 to 54 years	516 (+4)
55 years and older	9

Multi-Jurisdictional Outbreak

- Measles transmission is currently occurring in Alberta, affecting individuals of all ages – including infants, children, and adults. Most reported cases have been in children under 5 years old and those aged 5 to 17 who are not immunized.
- Cases have been reported in all zones of the province, with the highest numbers in the north, south, and central zones. Due to the number of people in these areas who may not be immune to measles, some cases are likely going undetected or unreported.
- Alberta Health Services shares known public [exposure locations](#) for the Edmonton, Calgary, Central, and parts of the North Zone. A standing exposure advisory has been issued for the [South Zone](#) and areas of the [North Zone](#). Site-specific exposure advisories will no longer be issued in these locations.
- Alberta reported its first death of an infant from measles in October.



MEXICO

BACKGROUND

- **Origin:** Mennonite community near Cuauhtémoc (vaccine coverage only 50–70%)
- **Index case:** Unvaccinated 8-year-old infected in Texas, returned to Mexico
- **Spread:** Schools, churches, neighboring communities → now in 21 states / 94 municipalities
- **Expansion:** Indigenous and working-class populations, with higher risk due to malnutrition and chronic illness

CURRENT SITUATION

- **4,879 confirmed cases nationwide**
 - **4,380 (89.77%) in Chihuahua**
 - **Cases are picking up in other parts of the country, specifically in Guerrero (62 cases) and Jalisco (70 cases)**
- **22 measles-related deaths**
 - **21 in Chihuahua, 1 in Sonora**
 - All unvaccinated
- **Indigenous communities disproportionately affected**
 - Case-fatality rate **20x higher** than the general population
 - **71% of deaths among the Rarámuri**
- **Impact & Risk Factors**
 - Chihuahua = **epicenter** – **92% of cases** and **95% of deaths** nationwide
- **Age groups** (highest incidence per 100k):
 - **0–4 years:** 11.71
 - **25–29 years:** 5.73
 - **30–34 years:** 4.84

GENOTYPES IDENTIFIED:

- **D8 (Ontario.CAN/47.24)** – dominant strain, linked to outbreaks in Texas and Canada.
- **B3 (NSW.AUS/10.24)** – limited to Oaxaca, contained importation.

KEY DRIVERS OF THE OUTBREAK:

- **Systemic Weaknesses:** Post-2018 budget cuts (69% reduction in vaccination funds) and procurement delays.
- **Coverage Gaps:** Vaccine uptake as low as 30–50% in Mennonite and some Indigenous communities.
- **Misinformation & Distrust:** Resistance to vaccination in rural and religious groups.
- **Access Inequalities:** Farmworkers and Indigenous groups face barriers to healthcare.

PUBLIC HEALTH RESPONSE

- **“Juarez Shield Strategy”** – Mass vaccination campaign.
- **Rapid Response Plan** – Enhanced surveillance, lab confirmation, case isolation.
- **Door-to-Door Vaccination** – Community engagement with local and religious leaders.
- **Vitamin A Supplementation** – For children under 5 with suspected or confirmed measles.

SOURCES:

[DAILY REPORT – MEXICO](#)


[EPIDEMIOLOGICAL SITUATION OF VACCINE-PREVENTABLE DISEASES IN MEXICO – REPORT 37](#)

[THINK GLOBAL HEALTH - MEASLES TAKES ROOT IN MEXICO](#)


[A POPULATION-BASED MEASLES SEROSURVEY IN MEXICO: IMPLICATIONS FOR RE-EMERGENCE](#)

MEXICO

PROBABLE AND CONFIRMED MEASLES CASES BY
EPIDEMIOLOGICAL WEEK AND DATE OF RASH ONSET




CONFIRMED CASES BY SEX, AGE, AND INCIDENCE RATE



CONFIRMED MEASLES CASES

STATE	CASES	
	CONFIRMED	PROBABLE
BAJA	8	61
CAMPECHE	14	94
CHIAPAS	1	32
CHIHUAHUA	4,380 (+40)	5987
COAHUILA	55	278
DURANGO	40	256
GUANAJUATO	4	491
GUERRERO	62 (+11)	171
JALISCO	70 (+33)	470
MEXICO	3	433
MÉXICO CITY	6 (+3)	693
MICHOACÁN	58 (+9)	263
NUEVO LEÓN	1	252
OAXACA	5	77
QUERÉTARO	1	115
QUINTANA ROO	2	64
SAN LUIS POTOSI	6	133
SINALOA	21 (+4)	122
SONORA	101(+4)	270
TABASCO	2	80
TAMAULIPAS	12	119
YUCATAN	1	51
ZACATECAS	21	146
TOTAL	4,879	10,789

Data as of 10/10/2025



4,879 CONFIRMED CASES
22 DEATHS


SOURCE: [DAILY REPORT](#)
[CONFIRMAN EL PRIMER CASO DE SARAMPIÓN EN](#)
[JALISCO: ACTIVAN CERCO EPIDEMIOLÓGICO](#)

MEXICO – DEATHS FROM MEASLES 2025

1	Adult male, Mennonite community	31years old	Ascensión, Chihuahua	No	4/3/2025	Diabetes	DW
2	Boy, Mennonite community	7 years old	Ojinaga, Chihuahua	No	5/2/2025	Underlying health problem (leukemia)	Chihuahua Secretaría de Salud; TV Azteca
3	Boy, Mennonite community	11 months old	Namiquipa, Chihuahua	No	5/6/2025	Mother unvaccinated, no passive immunity, underlying renal condition)	Chihuahua Secretaría de Salud; TV Azteca
4	Girl, agricultural laborers	1 year old	(Originally from Chihuahua) Died in Sonaro	No	5/8/2025	Severe malnutrition	Informador.mx La Secretaría de Salud de Sonora
5	Girl, Rarámuri community	2 years, 11 months	Ojinaga, Chihuahua	No	5/17/2025	Dehydration, diarrhea, pneumonia	Chihuahua Secretaría de Salud
6	Adult male, Rarámuri	45 years old	Carichí, Chihuahua	No	5/29/2025	—	N+ Noticias
7	Girl, Rarámuri community	4 years old	Guachochi, Chihuahua	No	6/5/2025	Moderate malnutrition, pneumonia	N+ Noticias
8	Boy, Mixtec community	5 years old	(Originally from Sinaloa) Died in Chihuahua.	No	6/15/2025	Severe malnutrition, anemia, respiratory issues, pneumonia	N+ Noticias
9	Woman, Rarámuri	27 years old	Meoqui, Chihuahua	No	6/16/2025	Pneumonia, no comorbidities	N+ Noticias
10	Boy, agricultural laborer family	2 years 11 months	Campo Nueva Holanda, Ojinaga, Chihuahua	No	6/27/2025	Dehydration and diarrhea	Chihuahua Secretaría de Salud
11	Woman, Rarámuri community	48 years old	San José Baqueachi, Carichí, Chihuahua	No	7/7/2025	Complications from pneumonia, no comorbidities	Chihuahua Secretaría de Salud
12	Man, Rarámuri community	46 years old	Cuauhtémoc, Chihuahua	No	7/21/2025	Respiratory failure and pneumonia	Chihuahua Secretaría de Salud
13	Girl, Rarámuri community	6 years old	Carichí, Chihuahua	No	7/21/2025	Respiratory failure and pneumonia	Chihuahua Secretaría de Salud
14	Man, Rarámuri community	54 years old	Bocoyna, Chihuahua	No	7/30/2025	Respiratory failure and pneumonia	N+ Noticias Secretaría de Salud del Estado de Chihuahua
15	Girl, Rarámuri community	15 years old	From Guadalupe y Calvo, died in Camargo	No	8/13/2025	Pneumonia, no comorbidities	El Diario de Chihuahua Secretaría de Salud del Estado de Chihuahua
16	Woman, Rarámuri, farm labored	19 years old	From Guadalupe y Calvo, working in Camargo, died in Chihuahua City	No	8/25/2025	No info at this time	Secretaría de Salud del Estado de Chihuahua
17	Rarámuri baby boy	1 year, 2-month-old	Cuauhtémoc, Chihuahua	No	8/27/2025	Pneumonia	Secretaría de Salud del Estado de Chihuahua
18	Rarámuri baby boy	1 year, 4-month-old	From Urique, died in Cuauhtémoc	No	8/29/2025	Complications related to measles	Secretaría de Salud del Estado de Chihuahua
19	Rarámuri baby girl	11 months	Camargo, Chihuahua	No	9/6/2025	Complications related to measles	Secretaría de Salud del Estado de Chihuahua
20	Rarámuri boy	4 years old	Delicias, Chihuahua	No	9/8/2025	Complications related to measles	Secretaría de Salud del Estado de Chihuahua
21	Rarámuri girl	3 years old	Cuauhtémoc, Chihuahua	No	9/9/2025	Complications related to measles	Secretaría de Salud del Estado de Chihuahua
22	Rarámuri baby girl	11 months	Nuevo Casas Grandes, Chihuahua	No	10/2/2025?	Complications related to measles	Secretaría de Salud del Estado de Chihuahua

OUTBREAK – CHIHUAHUA, MEXICO

- **Current Trend:** While the outbreak is no longer growing at an exponential rate, sustained transmission persists, creating an ongoing risk. Densely populated areas and communities with low vaccination coverage remain vulnerable to new clusters.
- **Herd Immunity Challenge:** Reaching and maintaining **95% vaccination coverage** is essential to halt measles transmission. Until coverage is uniformly achieved, including among vaccine-hesitant and hard-to-reach groups, measles will continue to be a threat.
- **Border & Regional Spillover:** Chihuahua's **geographic proximity and cultural ties to U.S. border states** heighten the risk of cross-border spread, especially given recent travel-related introductions (e.g., the initial case linked to Texas). Without containment, additional regional seeding is possible.



Fuente: [MediChihuahua](#)

CONTRIBUTORS

The Virtual Medical Operations Center Briefs (VMOC) were created as a service-learning project by the Yale School of Public Health faculty and graduate students in response to the 2010 Haiti Earthquake. Each year, students enrolled in Environmental Health Science Course 581—Public Health Emergencies: Disaster Planning and Response produce the VMOC Briefs. These briefs compile diverse information sources—including status reports, maps, curated news articles, and web content— into a single, easily digestible document that can be widely shared and used interactively.

Key features of this report include:

- **Comprehensive Overview:** Provides situation updates, maps, relevant news, and web resources.
- **Accessibility:** Designed for easy reading, wide distribution, and interactive use.
- **Collaboration:** The “unlocked” format enables seamless sharing, copying, and adaptation by other responders.

The students learn by doing, quickly discovering how and where to find critical information and presenting it in an easily understood manner.

LTC (R) Joanne McGovern – Joanne.McGovern@yale.edu

Lecturer, Department of Environmental Health Sciences, Yale School of Public Health

Shoa Moosavi (Editor)