MEASLES – THE AMERICAS 2025

MORBIDITY AND MORTALITY							
COUNTRY CONFIRMED CASES DEATHS							
NORTH AMERICA -3 ACTIVE OUTBREAKS							
<u>us</u>	1,554 (+27)	3					
<u>CANADA</u>	5,030* (+21)	2**					
* Includes the probable cases reported by Canada under the clinically confirmed column, due to alignment with PAHO's case definition. **Alberta reported one death this week.							
<u>MEXICO</u>	4,773 (+70)	21					
CENTRAL AMERI	CA - NO ACTIVE OUTBRE	AKS					
BELIZE (JULY 2025- OUTBREAK OVER)	34	0					
COSTA RICA (NO NEW CASES)	1	0					
SOUTH AMERI	CA – 2 ACTIVE OUTBREA	KS					
<u>BOLIVIA</u>	354 (+34)	0					
ARGENTINA (NO NEW CASES)	35	0					
BRAZIL (NO NEW CASES)	31	0					
<u>PARAGUAY</u>	45 (+1)	0					
PERU (NO UPDATE)	4	0					
THE CARRIBEAN	41 (+7)	0					
TOTAL	11,902	26					

	BACKGROUND			
UNITED STATES				
ARIZONA AND UTAH				
CANADA				
ONTARIO				
ALBERTA				
MEXICO				
MEXICO - DEATHS				
	CHIHUAHUA			
	Yale SCHOOL OF PUBLIC HEALTH 10/5/2025 2330 HRS EDT			

RISK ASSESSMENT IN OUTBREAK AREAS				
Risk for Localized Pisk to unvaccinated populations in and around the outbreak areas		Risk to Children	Potential for sustained transmission	
HIGH	HIGH	HIGH	MODERATE	

LINKS

UNITED STATES

CDC

TEXAS LINKS

• TEXAS DEPARTMENT OF STATE HEALTH SERVICES

NEW MEXICO LINKS

NEW MEXICO DEPARTMENT OF HEALTH

OKLAHOMA LINKS

OKLAHOMA STATE DEPARTMENT OF HEALTH

KANSAS

KANSAS DEPARTMENT OF HEALTH AND ENVIRONMENT

ARIZONA

ARIZONA DEPARTMENT OF HEALTH SERVICES

UTAH

UTAH DEPARTMENT OF HEALTH AND HUMAN SERVICES

WHO

IMMUNIZATION DATA

PAHO

PAHO MEASLES

CANADA

- MEASLES AND RUBELLA WEEKLY MONITORING
- REPORT
- ALBERTA DASHBOARD
- BRITISH COLOMBIA
- MANITOBA HEALTH
- NEW BRUNSWICK
- NOVASCOTIA
- PUBLIC HEALTH ONTARIO
- PRINCE EDWARDS ISLAND
- QUEBEC
- SASKATCHEWAN

MEXICO

INFORME DIARIO DEL BROTE DE SARAMPIÓN EN MÉXICO, 2025 MEDICHIHUAHUA

BOLIVIA ESTAMOS SALUD

PARAGUAY
SALUS PUBLICA

MEASLES TESTING LABORATORIES

CDC MEASLES VIRUS LABORATORY

RESOURCES FOR THE PUBLIC

- CDC MEASLES
- MEASLES CASES AND OUTBREAKS
- NYSDOH: YOU CAN PREVENT MEASLES
- <u>CDC VIDEO: GET VACCINATED AND</u>
 PREVENT ME ASLES
- CDC VACCINE SHOT FOR MEASLES
- <u>DIRECTORY FOR LOCAL HEALTH</u> DEPARTMENTS

RESOURCES FOR EMS PROVIDERS

- GUIDANCE FOR SUSPECTED MEASLES
 PATIENT
- NYSDOH POLICY STATEMENT

PORTALS, BLOGS, AND RESOURCES

- CIDRAP
- CORI
- FORCE OF INFECTION
- IVAC
- KAISER HEALTH NEWS
- MEDPAGE TODAY
- NY STATE GLOBAL HEALTH UPDATE
- THE PANDEMIC CENTER TRACKING
 REPORT
 - YOUR LOCAL EPIDEMIOLOGIST

BACKGROUND

TYPE OF PUBLIC HEALTH EMERGENCY: LARGE MULTINATIONAL MEASLES OUTBREAK

SITUATION: In 2025, between epidemiological week (EW) 1 and EW 39, 11,883 measles cases were confirmed in the Americas Region, including 26 deaths, in Argentina (n= 35 cases), Belize (n= 34 cases), the Plurinational State of Bolivia (n= 354 cases), Brazil (n= 31 cases), Canada (n= 5,030, including 2 death), Costa Rica (n= 1 case), Mexico (n= 4,773 cases, including 21 deaths, Paraguay (n= 45 cases), Peru (n= 4 cases), and the United States of America (n= 1,554, including three deaths). This total represents a 31-fold increase compared to the 358 cases reported during the same period in 2024, underscoring a substantial resurgence of measles transmission across the region.

EPIDEMIOLOGICAL CONTEXT

The distribution of confirmed measles cases by epidemiological week indicates a gradual increase beginning in EW 3 of 2025, with a peak in EW 18 primarily associated with outbreaks in vaccine-resistant and under-immunized communities across multiple countries. Over the past four epidemiological weeks, a slow but steady decline in reported cases has been observed, though transmission remains ongoing in several areas.


REGIONAL ELIMINATION STATUS

The **Region of the Americas** remains at **risk of losing its measles-free status** as endemic transmission persists in several countries. To maintain elimination certification, each affected country must **interrupt transmission and report zero cases within 12 months** of outbreak onset.

The deadlines for maintaining elimination status are:


- Canada: by October 2025
- United States of America: by January 2026
- Mexico: by February 2026

Failure to meet these deadlines could result in the **revocation of measles elimination status**, marking a major setback to regional immunization and surveillance achievements.



MEASLES CASES - AS OF 5 OCTOBER 2025





The increase in measles cases can be attributed to falling vaccination rates and increased importation of travel-related cases, which occur when unvaccinated people acquire measles abroad and bring it back to the U.S.

STATE	CASES
TEXAS **	803
NEW MEXICO	100
<u>KANSAS</u>	90
ARIZONA+	59
<u>UTAH+</u>	47
<u>OHIO</u>	39
NORTH DAKOTA	36
WISCONSIN	36
MONTANA	32
COLORADO	27
MICHIGAN	27
<u>NEW YORK</u>	24
<u>CALIFORNIA</u>	21
<u>OKLAHOMA</u>	20
MINNESOTA+	18
<u>PENNSYLVANIA</u>	16
<u>KENTUCKY</u>	14
<u>ILLINOIS</u>	12
SOUTH DAKOTA	12
WASHINGTON	11
GEORGIA +	10
NEW JERSEY	10
<u>IDAHO</u>	9
<u>INDIANA</u>	9
<u>WYOMING</u>	9
<u>ARKANSAS</u>	8
<u>IOWA</u>	8
SOUTH CAROLINA+	8
<u>MISSOURI</u>	7
<u>TENNESSEE</u>	7
<u>FLORIDA</u>	6
<u>VIRGINIA</u>	4
MARYLAND	3
<u>ALASKA</u>	2
HAWAII	2
<u>LOUISIANA</u>	2
<u>ALABAMA</u>	1
NEBRASKA	1
NORTH CAROLINA	1
OREGON	1
RHO DE ISLAND	1
VERMONT	1
TOTAL	1,554

OUTBREAKS

SMALL OUTBREAK (3-9)

MEDIUM OUTBREAK (10 - 49)

LARGE OUTBREAK (50 OR MORE)

An outbreak of measles is defined as three or more laboratory-confirmed cases that are temporally related and epidemiologically or virologically linked.

As of 1800 hours on 2 October 2025, EDT, there are approximately 1,546 measles cases (including confirmed and suspected cases) across 42 states. There have been 40 Outbreaks in the US this year, including the following:

- Arizona Navajo County, Mohave County
- Arkansas Faulkner County
- **Colorado** 10 cases linked to an infectious traveler
- **Georgia** Metro Atlanta
- Illinois Southern Illinois (Franklin– Williamson region)
- Indiana Allen County
- Iowa Johnson County
- Kansas <u>9 counties</u>
- Kentucky Woodford, Fayette, and Jefferson Counties
- Montana, Gallatin, Hill, and Yellowstone Counties.
- Michigan Montcalm County (linked to Ontario Outbreak) and a 2nd outbreak in Grand Traverse County

- Missouri Cedar County
- Oklahoma and the <u>Cherokee</u>
 Nation
- Ohio Ashtabula and Knox Counties
- Pennsylvania Erie County
- New Jersey Bergen County
- New Mexico 6 counties
- **North Dakota** Williams County, Grand Rapids
- South Carolina Upstate
- Texas <u>37 counties</u>
- **Tennessee** Upper Cumberland Region
- Utah Utah County, Beaver, Garfield, Iron, Kane, and Washington Counties
- Wisconsin Oconto County
- Wyoming Carbon County

In 2025, 86% of all confirmed cases in the US are associated with outbreaks. CDC reports the cumulative number of measles outbreaks (defined as 3 or more related cases)

92% of all cases are found in individuals who have not been vaccinated. 4% have had one MMR dose, and 4% have had two doses.

12% have required hospitalization.

UNITED STATES – UPDATES

CURRENTLY THERE ARE ACTIVE OUTBREAKS IN MINNESOTA, SOUTH CAROLINA, GEORGIA, UTAH, AND ARIZONA

MINNESOTA: From September 29 to October 1, Minnesota reported 10 cases of measles in the Twin Cities metropolitan area. All cases were in unvaccinated individuals. There have been a total of 13 cases reported in Minnesota in the recent week. Ten of these cases were among two different families in Dakota County who were linked and exposed by a visitor from out of state. The other 3 cases were unrelated to the aforementioned outbreak and occurred in 3 children exposed on the same international flight. There have been 18 total measles cases in Minnesota this year (4 exposed outside of the US, 13 domestically, and 1 with an unknown source of exposure).

ILLINOIS: The Cook County Department of Public Health confirmed an additional measles case in suburban areas of the county. The case was an adult who likely became infected after contact with a 4-year-old child who had acquired measles while travelling internationally. This is Cook County's third case in 2025, and the 12th case in Illinois.

GEORGIA: On September 24, the Georgia Department of Public Health reported three additional measles cases, which were associated with another case in a Georgia State University student reported on September 11. Possible exposure sites include the Georgia State University campus, a restaurant in the area, and games/ practices in a youth soccer league. Contact tracing efforts are underway and have identified at least 268 individuals who came into contact with the first case. Three of the four cases in this outbreak were unvaccinated; the vaccination status of the fourth individual is unknown. This brings Georgia's total to 10 measles cases this year.

SOUTH CAROLINA: A measles outbreak is raising concern in the Upstate region of South Carolina, where 8 cases have now been reported to the South Carolina Department of Public Health (SCDPH). Five of these cases were identified within the past month and are part of a newly recognized outbreak. In July, South Carolina confirmed 2 measles cases: the first linked to travel-related exposure, and the second in a known close contact of that case. In early September, another travel-associated case was confirmed, unrelated to the July cases. The current Upstate outbreak involves 2 individuals with no travel history and no identified source of exposure. Subsequent spread among their close contacts led to 5 additional infections. This brings the total number of measles cases in South Carolina in 2025 to 8. The South Carolina Department of Public Health has not reported the location or ages of the cases, but at least one infected individual attended school. Health officials mentioned that the MMR vaccination rate in the affected areas is around 90%. They said there is likely unrecognized community spread, and they expect to see more cases in the upcoming weeks.

OHIO: New Albany-Plain Local Schools is closing its Early Learning Center on October 6 due to a positive measles test result in one of its students. Unvaccinated students and staff will be forced to stay home until at least October 16. According to a letter the district sent to families on October 3, the Ohio Department of Health informed New Albany-Plain Schools of a confirmed case of measles in the district's ELC preschool and kindergarten building, which serves over 500 students. There have been 39 cases in Ohio this year.

UNITED STATES – ARIZONA AND UTAH OUTBREAK

- A measles outbreak in northern Arizona was connected to cases across the state line in Utah, health officials said.
- The outbreak is centered in communities with low vaccination rates, with most cases occurring in unvaccinated people.
- Health officials from both states are working together to contain the outbreak.
- This outbreak is currently the most significant active outbreak in the US and is growing exponentially.

The outbreak is concentrated in communities with low vaccination rates, and most cases have occurred in unvaccinated individuals. One of the largest measles outbreaks in the United States is now centered along the Arizona—Utah border. As of 10/2/2025, Mohave County, Arizona, and Washington County, Utah, had reported a combined total of 88 cases.


In Mohave County, Arizona, officials have reported <u>55 confirmed measles</u> <u>cases</u>, including one child who required hospitalization. This represents a more than fivefold increase from the nine cases reported just one month earlier, on 8/25/2025.

In southwestern Utah, the Southwest Utah Public Health Department has reported <u>33 confirmed cases</u>, all but one occurring among unvaccinated, school-age children. This is four times the number of cases documented since 8/29/2025, when the first infections were identified. Many of the Utah cases have been traced to exposures at a local high school, a festival, and a Chick-fil-A restaurant.

SOURCE: Utah Department of Health and Human Services. Arizona Department of Health Services

Wastewater dashboard - Utah

The Utah Department of Health and Human Services is now testing wastewater for measles. Recent tests show the virus is present in wastewater in several health districts, which means it's more widespread in the state than previously known.



UNITED STATES – ARIZONA AND UTAH OUTBREAK

UTAH

CASES: 47 HOSPITALIZATIONS: 5 (11%)

DEATHS: 0

AGES:

- <18: 29 (62%)
- 18+: 18 (38%)

VACCINATION STATUS:

- Unvaccinated: 45 (96%)
- Vaccinated: 1 (2%)
- Unknown: 1 (2%)

OUTBREAK OVERVIEW: In late May, a few sporadic cases were identified in infectious travelers visiting Utah. In late June, the first cases were reported in Utah County and southwestern Utah, near the Arizona border. Health officials say they began seeing sustained community spread about a month ago. The southwestern outbreak has grown to 45 cases in Utah alone. The spokesperson for the Southwestern Utah Public Health District has confirmed this outbreak is linked to the one across the border in Arizona, as travel is common between the neighboring "twin cities" of Colorado City, AZ, and Hildale, UT, both of which are home to many members of a close-knit Mormon sect. Common exposure sites include schools and school-related events. Viral samples collected on June 1 and July 1 were all the D8 genotype.

RESPONSE: After finding wastewater samples that were positive for measles in July in Provo (where Brigham Young University is located), the Utah Department of Health and Human Services is expanding from 2 sites to 35 sites across the state.

CASES: 59 HOSPITALIZATIONS: 1 (2%) DEATHS: 0

AGES: Arizona has not reported the age breakdown of cases. Most cases are in school-aged children.


VACCINATION STATUS: Arizona has not reported the vaccination status of cases.

OUTBREAK TIMELINE: Arizona's first cases occurred in a cluster of four unvaccinated individuals in Navajo County, linked to international travel. There is no indication these cases are related to the subsequent outbreak of 55 cases in Mohave County, which began in early August. Community transmission is occurring.

RESPONSE: Local and state departments of health are working to conduct contact tracing, isolate cases, set up vaccination clinics, and raise awareness at local schools and businesses.


FACTORS DRIVING THE OUTBREAK:

- Low vaccination rates: Kindergarten vaccination rates are low in the affected areas. For example, MMR vaccination rates for the two elementary schools in Colorado City were 7% and 40%.
- Anti-vaccination sentiment: Rates of vaccine exemptions for schoolchildren have risen in recent years, with the majority of exemptions in Arizona being personal (85%) and religious (12.5%).
- Close-knit religious communities: Colorado City, AZ, and Hildale, UT, are home to a religious sect with historically low vaccination rates.
- Large gatherings: The outbreak in Utah was fueled by a large high school cycling event.
- Travel: Smaller outbreaks began after exposure during international travel.



UNITED STATES – UTAH & ARIZONA OUTBREAK TIMELINE

EPI CURVE FOR MEASLES CASES IN ARIZONA AND UTAH, 2025



late May	Southwestern Utah: 2 infectious travelers visit in late May; no subsequent cases recorded		
	June 9 Navajo County, AZ: Cluster of 4 cases linked to recent international travel Southwest Utah Public Health District: First 2 cases are reported in the district Utah County, UT: First 5 cases are reported in the county		
July	UT: 4 additional cases reported in Southwest Utah Public Health District (2) and Utah County (2)		
August 2-7 16 21	Mohave County, AZ: First exposures around Colorado City, AZ, a border city next to Hildale, Utah Wasatch County, UT: Large exposure incident at high school cycling event (~2,000 people); several infections linked to the event Mohave County, AZ: 9 cases in Colorado City outbreak		
September 12	UT: 30 total cases in Utah County (7), Southwest Utah (20), and Southeast Utah (3)		
October 5	AZ/ UT: 102 combined cases in Utah and Arizona	SOURCES: <u>Utah DHHS</u> , <u>Arizona HHS</u> , <u>KJZZ</u> , <u>PNT</u> , <u>WastewaterSCAN</u>	

CANADA

BACKGROUND: The 2025 measles outbreak in Canada is the product of a perfect storm: a sparking importation event, weakening population immunity, rising vaccine hesitancy and misinformation, structural vulnerabilities in public health and healthcare access, and social dynamics that enabled the virus to move through susceptible networks.

IMPORTATION AND INITIAL SPARK: The outbreak began in October 2024, when an imported case attending a large gathering in New Brunswick seeded the virus into Canada. The event, which brought together attendees from multiple provinces, provided the ideal conditions for rapid transmission and the initial dispersal of measles across provincial boundaries.

MULTI-JURISDICTIONAL SPREAD: From late 2024 into 2025, the outbreak expanded beyond its original epicenter. Cases spread through Ontario, Alberta, Manitoba, British Columbia, Saskatchewan, Nova Scotia, New Brunswick, Prince Edward Island, the Northwest Territories, and Quebec. The multi-jurisdictional spread reflects both the contagious nature of measles and the cracks in Canada's protective vaccination shield.


CONTRIBUTING FACTORS

- Low Vaccination Coverage
 - Erosion of herd immunity: National first-dose measles vaccination coverage fell from 90% in 2019 to around 83% by 2023—well below the 95% threshold required to prevent sustained transmission.
 - Clusters of under-vaccination: Many cases have arisen in under-immunized communities, particularly among close-knit groups with limited engagement with public health authorities.
- Vaccine Hesitancy & Misinformation
 - Lingering distrust: Public confidence in vaccination weakened during the COVID-19 pandemic, leaving space for anti-vaccine movements to grow louder and more influential.
 - Changing perceptions: With declining familiarity of measles as a public health threat, many individuals perceive the disease as distant or low-risk—fueling complacency and skepticism toward the vaccine.

STRUCTURAL VULNERABILITIES & SOCIAL DYNAMICS

- **Healthcare access gaps:** Remote, rural, and Indigenous communities often face barriers to timely vaccination services, including limited clinic hours, shortages of healthcare staff, and logistical hurdles in vaccine delivery.
- Cross-provincial mobility: Travel between provinces and territories, combined with participation in large gatherings and events, accelerated the geographic spread of the virus.
- Social clustering: Measles transmission has been amplified within close-knit cultural, religious, or ideological groups where vaccine refusal or delay is more common, creating concentrated pools of susceptibility.
- Strains on public health infrastructure: Years of budgetary constraints and competing priorities have left some local public health units less prepared for large-scale outbreak response, slowing containment efforts.

EPIDEMIOLOGICAL CURVE FOR MEASLES CASES, BY EPIDEMIOLOGICAL WEEK - 38



SOURCES:


Measles and rubella weekly monitoring report — Week 38 PAHO - Measles cases rise in the Americas in 2025

CANADA – CURRENT SITUATION


travel-related case in New Brunswick.

Brief Timeline of Outbreak

As of 10/5/2025



MEASLES 2025 CONFIRMED PROBABLE PROVINCE TOTALS CASES **CASES ONTARIO** 2,060 315 2,375 **ALBERTA** 1,917 0 1917 MANITOBA 216 18 234 **BRITISH COLUMBIA** 271 20 291 **SASKATCHEWAN** 95 0 95 QUEBEC 36 0 36 PRINCE EDWARD ISLAND 0 3 **NOVA SCOTIA** 62 0 62 **NORTHWEST TERRITORIES** 1 0 1 **NEW BRUNSWICK** 16 0 16 **TOTAL** 4,677 353 5030



5,030 Cases (4,677 Confirmed and 353 Probable)
2 Death (The second death is an infant from Alberta)


^{*} Count includes 43 cases not associated with the outbreak and the outbreak numbers that began on 21 October 2024

OUTBREAK – ONTARIO

(OCTOBER 18, 2024, TO September 29, 2025)


MORBIDITY AND MORTALITY				
PROVINCE	CASES	HOSPITALIZATIONS	DEATHS	
ONTARIO*	2,375 (2,060 confirmed, 315 probable)	165 (12 ICU)	1	

IMMUNIZATION STATUS OF MEASLES OUTBREAK CASES BY AGE GROUP: OCTOBER 28, 2024 – SEPTEMBER 29, 2025



- As of September 29, Ontario has reported a total of 2,375 measles cases (2,060 confirmed, 315 probable)
 associated with the multi-jurisdictional outbreak occurring in 26 public health units. This represents an increase of
 seven new cases.
- Among all outbreak cases, the majority (73.0%, n=1,734) were infants, children, and adolescents (19 years old or younger), while 26.4% (n=628) were adults, and 0.5% (n=13) had unknown age.
- Almost all infant, child, and adolescent outbreak cases (96.4%, n=1,671) were unimmunized, while
- 69.7% (n=438) of adults were unimmunized.
- A total of 2.1% (n=51) of outbreak cases were pregnant at the time of their measles infection.
 - Of these, 84.3% (n=43) were unimmunized, 2.0% (n=1) received one dose of measles-containing vaccine, 9.8% (n=5) received two or more doses, and 3.9% (n=2) had unknown immunization status.
 - o There have been nine cases of congenital measles (i.e., measles diagnosed in the first 10 days of life).
- Overall, 6.9% (n=165) of outbreak cases were hospitalized, and 0.5% (n=12) were admitted to the intensive care
 unit (ICU).
 - 95.2% (n=157) of hospitalized cases were unimmunized, of whom 122 were infants, children and adolescents.
- One death occurred in a congenital case of measles, who was born pre-term and had other underlying medical conditions.

NUMBER OF MEASLES CASES BY WEEK OF RASH ONSET, 10/28/2024 - 09/29/2025



OUTBREAK – ALBERTA


	MORBIDITY AND MORTALITY				
PROVINCE	CASES	HOSPITALIZATIONS	DEATHS		
ALBERTA	1,914	152 (15 ICU) (0 Currently Hospitalized)	1		

IMMUNIZATION STATUS	COUNT
Unimmunized	1.698
1 dose	55
2 or more doses	79
Unknown	75

AGE RANGE	NUMBERS
<5 years	547 (+3)
5 to 17 years	837 (+1)
18 to 54 years	514 (+2)
55 years and older	9

Multi-Jurisdictional Outbreak

- Measles transmission is currently occurring in Alberta, affecting individuals of all ages including infants, children, and adults. Most reported cases have been in children under 5 years old and those aged 5 to 17 who are not immunized.
- Cases have been reported in all zones of the province, with the highest numbers in the north, south, and central zones. Due to the number of people in these areas who may not be immune to measles, some cases are likely going undetected or unreported.
- Alberta Health Services shares known public <u>exposure locations</u> for the Edmonton, Calgary, Central, and parts of
 the North Zone. A standing exposure advisory has been issued for the <u>South Zone</u> and areas of the <u>North Zone</u>.
 Site-specific exposure advisories will no longer be issued in these locations.
- Alberta reported its first death of an infant from measles this week.



MEXICO

BACKGROUND

- Origin: Mennonite community near Cuauhtémoc (vaccine coverage only 50–70%).
- Index case: Unvaccinated 8-year-old infected in Texas, returned to Mexico
- Spread: Schools, churches, neighboring communities → now in 21 states / 94 municipalities.
- **Expansion:** Indigenous and working-class populations, with higher risk due to malnutrition and chronic illness

CURRENT SITUATION

- 4,773 confirmed cases nationwide
 - 4,340 (92%) in Chihuahua
- 21 measles-related deaths
 - 20 in Chihuahua, 1 in Sonora
 - All unvaccinated
- Indigenous communities disproportionately affected
 - Case-fatality rate 20x higher than the general population
 - 71% of deaths among the Rarámuri
- Impact & Risk Factors
 - o Chihuahua = epicenter 92% of cases and 95% of deaths nationwide
- Age groups (highest incidence per 100k):

0–4 years: 11.3725–29 years: 5.6530–34 years: 4.77

GENOTYPES IDENTIFIED:

- D8 (Ontario.CAN/47.24) dominant strain, linked to outbreaks in Texas and Canada.
- B3 (NSW.AUS/10.24) limited to Oaxaca, contained importation.

KEY DRIVERS OF THE OUTBREAK:

- **Systemic Weaknesses:** Post-2018 budget cuts (69% reduction in vaccination funds) and procurement delays.
- Coverage Gaps: Vaccine uptake as low as 30–50% in Mennonite and some Indigenous communities.
- Misinformation & Distrust: Resistance to vaccination in rural and religious groups.
- Access Inequalities: Farmworkers and Indigenous groups face barriers to healthcare.

PUBLIC HEALTH RESPONSE

- "Juarez Shield Strategy" Mass vaccination campaign.
- Rapid Response Plan Enhanced surveillance, lab confirmation, case isolation.
- **Door-to-Door Vaccination** Community engagement with local and religious leaders.
- Vitamin A Supplementation For children under 5 with suspected or confirmed measles.

SOURCES:


Daily Report - Mexico


<u>Epidemiological Situation of Vaccine-Preventable Diseases in Mexico – Report 37</u> <u>Think Global Health - Measles Takes Root In Mexico</u>

A Population-based Measles Serosurvey In Mexico: Implications For Re-emergence

MEXICO


PROBABLE AND CONFIRMED MEASLES CASES BY EPIDEMIOLOGICAL WEEK AND DATE OF RASH ONSET





CONFIRMED MEASLES CASES				
CTATE	CASES			
STATE	CONFIRMED	PROBABLE		
BAJA	8	61		
CAMPECHE	14	92		
CHIAPAS	1	32		
CHIHUAHUA	4,340 (+19)	5954		
MÉXICO CITY	6	658		
COAHUILA	55	274		
DURANGO	40 (+13)	252		
GUANAJUATO	4	478		
GUERRERO	51	155		
JALISCO	37 (+16)	405		
MEXICO	3	414		
MICHOACÁN	49 (22)	238		
NUEVO LEÓN	1	249		
OAXACA	5	76		
QUERÉTARO	1	111		
QUINTANA ROO	2	64		
SAN LUIS POTOSI	6	129		
SINALOA	17	122		
SONORA	97	259		
TABASCO	2	76		
TAMAULIPAS	12	118		
YUCATAN	1	49		
ZACATECAS	21	141		
TOTAL	4,773	10,410		

Data as of 10/1/2025



4,773 CONFIRMED CASES
21 DEATHS

SOURCE: <u>DAILY REPORT</u>

<u>CONFIRMAN EL PRIMER CASO DE SARAMPIÓ N</u>

JALISCO: ACTIVAN CERCO EPIDEMIOLÓGICO

MEXICO – DEATHS FROM MEASLES 2025

1	Adult male, Mennonite community	31years old	Ascensión, Chihuahua	No	4/3/2025	Diabetes	<u>DW</u>
2	Boy, Mennonite community	7 years old	Ojinaga, Chihuahua	No	5/2/2025	Underlying health problem (leukemia)	Chihuahua Secretaría de Salud; TV Azteca
3	Boy, Mennonite community	11 months old	Namiquipa, Chihuahua	No	5/6/2025	Mother unvaccinated, no passive immunity, underlying renal condition)	Chihuahua Secretaría de Salud; TV Azteca
4	Girl, agricultural laborers	1 year old	(Originally from Chihuahua) Died in Sonaro	No	5/8/2025	Severe malnutrition	<u>Informador.mx</u> La Secretaría de Salud de Sonora
5	Girl, Rarámuri community	2 years, 11 months	Ojinaga, Chihuahua	No	5/17/2025	Dehydration, diarrhea, pneumonia	Chihuahua Secretaría de Salud
6	Adult male, Rarámuri	45 years old	Carichí, Chihuahua	No	5/29/2025	_	<u>N+ Noticias</u>
7	Girl, Rarámuri community	4 years old	Guachochi, Chihuahua	No	6/5/2025	Moderate malnutrition, pneumonia	<u>N+ Noticias</u>
8	Boy, Mixtec community	5 years old	(Originally from Sinaloa) Died in Chihuahua.	No	6/15/2025	Severe malnutrition, anemia, respiratory issues, pneumonia	<u>N+ Noticias</u>
9	Woman, Rarámuri	27 years old	Meoqui, Chihuahua	No	6/16/2025	Pneumonia, no comorbidities	<u>N+ Noticias</u>
10	Boy, agricultural laborer family	2 years 11 months	Campo Nueva Holanda, Ojinaga, Chihuahua	No	6/27/2025	Dehydration and diarrhea	Chihuahua Secretaría de Salud
11	Woman, Rarámuri community	48 years old	San José Baqueachi, Carichí, Chihuahua	No	7/7/2025	Complications from pneumonia, no comorbidities	Chihuahua Secretaría de Salud
12	Man, Rarámuri community	46 years old	Cuauhtémoc, Chihuahua	No	7/21/2025	Respiratory failure and pneumonia	Chihuahua Secretaría de Salud
13	Girl, Rarámuri community	6 years old	Carichí, Chihuahua	No	7/21/2025	Respiratory failure and pneumonia	Chihuahua Secretaría de Salud
14	Man, Rarámuri community	54 years old	Bocoyna, Chihuahua	No	7/30/2025	Respiratory failure and pneumonia	N+ Noticias Secretaría de Salud del Estado de Chihuahua
15	Girl, Rarámuri community	15 years old	From Guadalupe y Calvo, died in Camargo	No	8/13/2025	Pneumonia, no comorbidities	<u>El Diario de Chihuahua</u> Secretaría de Salud del Estado de Chihuahua
16	Woman, Rarámuri, farm labored	19 years old	From Guadalupe y Calvo, working in Camargo, died in Chihuahua City	No	8/25/2025	No info at this time	Secretaría de Salud del Estado de Chihuahua
17	Rarámuri baby boy	1 year, 2-month-old	Cuauhtémoc, Chihuahua	No	8/27/2025	Pneumonia	Secretaría de Salud del Estado de Chihuahua
18	Rarámuri baby boy	1 year, 4-month-old	From Urique, died in Cuauhtémoc	No	8/29/2025	Complications related to measles	Secretaría de Salud del Estado de Chihuahua
19	Rarámuri baby girl	11 months	Camargo, Chihuahua	No	9/6/2025	Complications related to measles	Secretaría de Salud del Estado de Chihuahua
20	Rarámuri boy	4 years old	Delicias, Chihuahua	No	9/8/2025	Complications related to measles	Secretaría de Salud del Estado de Chihuahua
21	Rarámuri girl	3 years old	Cuauhtémoc, Chihuahua	No	9/9/2025	Complications related to measles	Secretaría de Salud del Estado de Chihuahua

OUTBREAK – CHIHUAHUA, MEXICO

- Current Trend: While the outbreak is no longer growing at an exponential rate, sustained transmission persists, creating an ongoing risk.
 Densely populated areas and communities with low vaccination coverage remain vulnerable to new clusters.
- Herd Immunity Challenge: Reaching and maintaining 95% vaccination coverage is essential to halt measles transmission. Until coverage is uniformly achieved, including among vaccinehesitant and hard-to-reach groups, measles will continue to be a threat.
- Border & Regional Spillover: Chihuahua's geographic proximity and cultural ties to U.S. border states heighten the risk of cross-border spread, especially given recent travel-related introductions (e.g., the initial case linked to Texas). Without containment, additional regional seeding is possible.



Fuente: Secretaría de Salud

SOURCE OF GRAPHIC: MediChihuahua





CONTRIBUTORS

The Virtual Medical Operations Center Briefs (VMOC) were created as a service-learning project by the Yale School of Public Health faculty and graduate students in response to the 2010 Haiti Earthquake. Each year, students enrolled in Environmental Health Science Course 581—Public Health Emergencies: Disaster Planning and Response produce the VMOC Briefs. These briefs compile diverse information sources—including status reports, maps, curated news articles, and web content— into a single, easily digestible document that can be widely shared and used interactively.

Key features of this report include:

- Comprehensive Overview: Provides situation updates, maps, relevant news, and web resources.
- Accessibility: Designed for easy reading, wide distribution, and interactive use.
- Collaboration: The "unlocked" format enables seamless sharing, copying, and adaptation by other responders.

The students learn by doing, quickly discovering how and where to find critical information and presenting it in an easily understood manner.

LTC (R) Joanne McGovern — <u>Joanne.McGovern@yale.edu</u>
Lecturer, Department of Environmental Health Sciences, Yale School of Public Health

Shoa Moosavi (Editor)